Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action						Chloride	
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	25.0	0.66j	6.4j	19.0	2.1	ND (2.9)	5.8	ND
	10-02	18.0	ND	3.9	13.0	1.4	2.0	4.4	ND
	1-03	24.0	0.5	6.0	18.0	2.0	3.0	8.0	ND
	3-03	24.0	0.51	6.5	18.0	2.2	3.9	4.3	ND
	8-03	18.0	ND	5.4	13.0	1.7	3.1	3.7	ND
EPA – 1	10-03	12.0	ND	2.8	7.8	1.3	2.6	1.6	ND
	3-04	19.0	ND	ND	10.0	0.20	2.3	1.4	ND
	4-04	6.8	ND	1.5	4.2	0.58	1.5	ND	ND
	8-04	5.6	ND	1.3	3.1	ND	1.4	ND	ND
	10-04	5.2	ND	1.0	2.7	ND	1.2	ND	ND
	01/05	2.0	ND	ND	1.0	ND	0.86	ND	ND
	6/05	1.2	ND	ND	0.71J	ND	0.71	ND	ND
	1/06	ND	ND	ND	ND	ND	1.0	ND	1.4
	4/06	0.69	ND	ND	0.57	ND	1.2	ND	1.9
	6-02	2.8	ND	ND	1.2	ND	0.97	ND	ND
	8-02	1.2	ND	ND	ND	ND	ND	ND	ND
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	0.07	ND	ND	ND	ND	0.6	ND	ND
	3-03	0.67	ND	ND	ND	ND	0.72	ND	ND
	8-03	ND	ND	ND	ND	ND	ND	ND	ND
EPA - 2	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	0.56	ND	0.95	ND	1.4
	4-04	ND	ND	ND	ND	ND	0.63	ND	1.2
	8-04	ND	ND	ND	0.57	ND	1.0	ND	1.9
	10-04	ND	ND	ND	0.65	ND	0.92	ND	1.9
	01/05	ND	ND	ND	0.62	ND	1.2	ND	2.4
	6/05	ND	ND	ND	0.69	ND	1.1	ND	2.3
	1/06	ND	ND	ND	ND	ND	1.1	ND	3.0
	4/06	ND	ND	ND	0.71	ND	1.4	ND	3.6

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action						Chloride	
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	13.0	ND	1.6	9.0	ND	1.2	0.51	ND
	10-02	12.0	ND	1.1	7.7	ND	1.1	ND	ND
	1-03	14.0	ND	2.0	9.0	ND	1.0	2.0	ND
	3-03	16.0	ND	ND	12.0	ND	1.8	1.1	ND
	8-03	11.0	ND	1.2	6.6	ND	ND	ND	ND
EPA - 3	10-03	13.0	ND	1.4	6.4	ND	ND	ND	ND
	3-04	19.0	ND	ND	10.0	0.20	2.3	1.4	ND
	4-04	9.4	ND	1.1	4.6	ND	0.98	0.77j	ND
	8-04	16.0	ND	1.9	7.2	ND	1.6	1.4	ND
	10-04	14.0	ND	1.6	6.2	ND	1.4	1.5	ND
	01/05	9.3	ND	1.0	4.2	ND	1.4	ND	ND
	6/05	11.0	ND	1.4	4.7	ND	1.2	0.71	ND
	1/06	6.7	ND	ND	2.4	ND	1.4	ND	ND
	4/06	11.0	ND	0.99	4.1	ND	1.4	0.70	ND
MW-118 – OLD	6-02	15.0	ND	ND	11.0	ND	1.5	0.68	0.59
SHALLOW	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	10-02	6.4	ND	ND	2.8	ND	ND	ND	ND
	1-03	4.0	ND	ND	2.0	ND	0.5	ND	ND
	3-03	3.8	ND	ND	1.4	ND	0.54	ND	ND
	8-03	4.4	ND	ND	1.5	ND	ND	ND	ND
	10-03	4.0	ND	ND	1.1	ND	ND	ND	ND
	3-04	3.1	ND	ND	ND	ND	ND	ND	ND
	4-04	1.9	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA Action	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl Chloride	PCE
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
MW 118 – NEW	4-04	3.4j	ND	ND	056	ND	ND	ND	ND
	8-04	5.6	ND	ND	0.67j	ND	ND	0.77	ND
	10-04	4.5	ND	ND	0.71j	ND	ND	1.2	ND
	01/05	3.8	ND	ND	0.66	ND	ND	0.68	ND
	6/05	4.0	ND	ND	1.6	ND	ND	ND	ND
	1/06	13	ND	ND	6.8	ND	1.2	2.3	ND
	4/06	8.2	ND	ND	3.7	ND	0.57	NDj	ND
MW 118 – DIFUSHION									
5'		3.0	ND	ND	ND	ND	ND	ND	ND
10'		8.0	ND	ND	0.85j	ND	ND	1.1	ND
15"	8/04	8.7	0.55	ND	0.89j	ND	ND	1.1	ND
20'		6.3	ND	ND	0.66j	ND	ND	0.79	ND
25'		6.0	ND	ND	0.64j	ND	ND	0.76	ND
30'		5.9	ND	ND	0.56	ND	ND	ND	ND
35'		6.2	ND	ND	0.61	ND	ND	ND	ND
40'		5.2	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	Chloride MCL=2	MCL=5
	6-02	7.2	ND	ND	7.2	0.75	2.4	ND	ND
	8-02	4.2	ND	1.0	4.1	0.61	2.1	ND	ND
	10-02	4.4	ND	ND	2.9	ND	1.7	ND	ND
	1-03	7.0	ND	1.0	5.0	ND	2.0	0.8	ND
MW 120	3-03	5.3	ND	ND	3.7	ND	2.7	ND	ND
	8-03	5	ND	ND	3.1	ND	1.5	ND	ND
	10-03	6	ND	ND	2.1	ND	1.1	ND	ND
	3-04	4.0	ND	ND	2.8	ND	1.4	ND	ND
	4-04	2.7	ND	ND	1.8	ND	0.89	ND	ND
	8-04	3.9	ND	ND	2.0	ND	1.1	ND	ND
	10-04	3.4j	ND	ND	2.0	ND	0.93	ND	ND
	01/05	2.5	ND	ND	2.0	ND	ND	ND	ND
	6/05	2.4	ND	0.52	2.0	ND	1.4	ND	ND
	1/06	2.6	ND	ND	1.2	ND	ND	ND	ND
	4/06	3.0	ND	0.70	2.8	ND	2.4	ND	0.53
	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	10-02	1.1	ND	ND	ND	ND	ND	ND	ND
	1-03	6.0	ND	ND	0.9	ND	ND	2.0	ND
	3-03	7.6	ND	ND	1.6	ND	ND	1.6	ND
MW 303	8-03	4.9	ND	ND	ND	ND	ND	ND	ND
	10-03	11.0	ND	ND	1.8	ND	ND	1.5	ND
	3-04	10.0	ND	ND	1.4	ND	ND	1.4	ND
	4-04	9.1	ND	ND	1.3	ND	ND	1.2j	ND
	8-04	15.0	0.74	ND	2.0j	ND	ND	1.8j	ND
	10-04	22.0j	NDj	NDj	2.8j	NDj	NDj	6.5j	NDj
	01/05	11.0	ND	ND	1.3	ND	ND	0.87	ND
	6/05	3.2	ND	ND	0.73	ND	ND	ND	ND
	1/06	1.1	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action						Chloride	
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	7.1	ND(2.1)	ND(2.1)	ND(2.1)	ND(2.1)	ND(2.1)	ND(2.1)	ND(2.1)
	10-02	4.1	ND	ND	ND	ND	ND	ND	ND
	1-03	5.0	ND	ND	0.5	ND	ND	1.0	ND
	3-03	2.8	ND	ND	ND	ND	ND	ND	ND
	8-03	3.3	ND	ND	ND	ND	ND	ND	ND
	10-03	4.2	ND	ND	0.61	ND	ND	ND	ND
MW 304	3-04	0.98	ND	ND	ND	ND	ND	ND	ND
	4-04	0.60	ND	ND	ND	ND	ND	ND	ND
	8-04	4.2	ND	ND	ND	ND	ND	0.57j	ND
	10-04	3.9j	NDj	NDj	0.71	NDj	NDj	1.6	NDj
	01/05	2.7	ND	ND	0.8	ND	ND	ND	ND
	6/05	4.8	ND	ND	0.8J	ND	ND	0.89	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND
	6-02	NS	NS	NS	NS	NS	NS	NS	NS
	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-03	ND	ND	ND	ND	ND	ND	ND	ND
	8-03	NS	NS	NS	NS	NS	NS	NS	NS
MW 305	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	ND	ND	ND	ND	ND
1.0.07.1/06	4-04	ND	ND	ND	ND	ND	ND	ND	ND
AS OF 1/06	8-04	ND	ND	ND	ND	ND	ND	ND	ND
MW 305R	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	Chloride MCL=2	MCL=5
	8-02	ND(1.3)	ND(1.3)	ND(1.3)	1.8	ND(1.3)	5.4	ND(1.3)	36.0
	10-02	ND	ND	ND	1.2	ND	4.7	ND	25.0
	1-03	ND	ND	ND	1.0	ND	1.0	ND	1.0
	3-03	ND	ND	ND	1.6	ND	6.8	ND	23.0
	8-03	ND	ND	ND	1.4	ND	6.4	ND	40.0
MW 306	10-03	ND	ND	ND	0.82	ND	3.2	ND	19.0
	3-04	ND	ND	ND	0.84	ND	4.1	ND	23.0
	4-04	ND	ND	ND	1.1	ND	5.6	ND	59.0
	8-04	ND	ND	ND	0.92j	ND	4.7	ND	38.0
	10-04	ND	ND	ND	1.2j	ND	5.6	ND	43.0j
	01/05	ND	ND	ND	1.0	ND	4.9	ND	41.0
	6/05	ND	ND	ND	ND	ND	2.9	ND	16.0
	1/06	ND	ND	ND	ND	ND	2.9	ND	35.0
	4/06	ND	ND	ND	0.54	ND	3.7	ND	49.0
	6-02	ND	ND	ND	ND	ND	ND	ND	ND
	8-02	0.64	ND	ND	ND	ND	ND	ND	ND
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	3.0	ND	ND	1.0	ND	ND	ND	ND
	3-03	0.97	ND	ND	ND	ND	ND	ND	ND
MW 307	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	0.53	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	0.62	ND	ND	ND	ND	ND	ND	ND
	10-04	0.52j	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	0.53	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA Action	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl Chloride	PCE
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
MW 308	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	3-03	3.4	ND	1.8	6.6	1.4	8.6	2.3j	1.8
	8-03	3.0	ND	1.4j	5.5	1.1	6.6	2.1j	1.6
	10-03	3.1	ND	1.4	6.9	1.1	6.6	1.8j	1.4
	3-04	3.0	ND	0.97	5.5	0.65	5.3	1.3	1.4
	4-04	1.9	ND	0.73	3.0	0.53j	4.4	1.4	1.2
	8-04	2.3	ND	0.82	3.4j	ND	3.4	1.0j	0.80
	10-04	2.1j	ND	0.74	3.2	ND	4.0	1.6	1.0
	01/05	1.4	ND	ND	2.1	ND	2.6	0.56	0.63
	6/05	1.8	ND	1.1	2.8J	0.96	6.0	ND	1.5
	1/06	1.8	ND	ND	1.2	ND	1.7	ND	ND
	4/06	1.7	ND	ND	1.5	ND	1.9	NDJ	0.52
MW 309	6-02	0.70	ND	ND	ND	ND	ND	ND	ND
	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-03	ND	ND	ND	ND	ND	ND	ND	ND
	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	ND	ND	ND	ND	ND	ND	ND	ND
	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA Action	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl Chloride	PCE
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	NS	NS	NS	NS	NS	NS	NS	NS
	10-02	ND	ND	ND	1.0	ND	2.1	ND	ND
	1-03	0.5	ND	ND	1.0	ND	2.0	ND	ND
	3-03	ND	ND	ND	1.2	ND	2.7	ND	ND
MW 310	8-03	ND	ND	ND	ND	ND	2.0	ND	ND
(Former Wilko Well)	10-03	ND	ND	ND	0.61	ND	1.3	ND	ND
	3-04	ND	ND	ND	0.85	ND	1.6	ND	ND
	4-04	ND	ND	ND	0.55	ND	1.2	ND	ND
	8-04	ND	ND	ND	0.54j	ND	1.0	ND	ND
	10-04	ND	ND	ND	0.75	ND	1.2	ND	ND
	01/05	ND	ND	ND	0.55	ND	1.1	ND	ND
	6/05	ND	ND	ND	ND	ND	0.94	ND	ND
	1/06	ND	ND	ND	ND	ND	1.1	ND	ND
	4/06	ND	ND	ND	0.59	ND	1.2	ND	ND
	8-02	0.95	ND	ND	0.64	ND	2.0	ND	7.3
	10-02	ND	ND	ND	ND	ND	1.5	ND	5.7
	1-03	0.80	ND	ND	0.70	ND	2.0	ND	11.0j
	3-03	0.91	ND	ND	0.82	ND	2.5	ND	11.0
	8-03	ND	ND	ND	ND	ND	2.2	ND	12.0
MW 311	10-03	ND	ND	ND	ND	ND	0.75	ND	3.9
	3-04	ND	ND	ND	0.89j	ND	2.8	ND	15.0
	4-04	ND	ND	ND	0.83	ND	2.2	ND	11.0
	8-04	ND	ND	ND	1.0	ND	2.8	ND	16.0
	10-04	ND	ND	ND	1.1	ND	2.7	ND	20.0
	01/05	ND	ND	ND	0.77	ND	2.8	ND	19.0
	6/05	0.61	ND	ND	0.69J	ND	2.3	ND	22.0
	1/06	ND	ND	ND	ND	ND	2.3	ND	29.0
	4/06	0.87	ND	ND	0.57	ND	2.3	ND	24.0

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	Chloride MCL=2	MCL=5
	8-02	12.0	0.64	2.5	12.0	0.74	3.8	ND	ND
	10-02	9.6	ND	1.7	9.2	ND	2.8	ND	ND
	1-03	10.0	ND	2.0	11.0	0.70	4.0	ND	ND
	3-03	11.0	0.51	2.4	11.0	0.63	3.9	0.52j	ND
	8-03	7.8	ND	1.4	6.9	ND	2.2	ND	ND
MW 312	10-03	9.0	ND	1.3	6.9	ND	2.3	0.57j	ND
	3-04	10.0	ND	1.2	6.4	ND	2.2	ND	ND
	4-04	7.2	ND	0.84	4.8	ND	1.5	ND	ND
	8-04	9.3	ND	1.0	4.8	0.20	1.6	0.51	ND
	10-04	8.7	ND	0.77	4.9	ND	1.4	0.62	ND
	01/05	7.4	ND	0.64	3.8	ND	1.5	ND	ND
	6/05	7.7	ND	0.76	3.6	ND	1.2	ND	ND
	1/06	8.7	ND	ND	2.9	ND	1.0	ND	ND
	4/06	9.7	ND	0.62	3.6	ND	1.2	ND	ND
	6-02	ND	ND	ND	ND	ND	ND	ND	ND
	8-02	ND	ND	ND	ND	ND	ND	ND	ND
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
MW 313	3-03	ND	ND	ND	ND	ND	ND	ND	ND
	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	ND	ND	ND	ND	ND	ND	ND	ND
	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	NDJ	ND

Well	Date	1,1 DCA Action	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	Chloride MCL=2	MCL=5
	8-02	4.0	ND	ND	1.9	ND	ND	ND	ND
	10-02	3.8	ND	ND	1.5	ND	ND	ND	ND
	1-03	4.0	ND	ND	2.0	ND	ND	ND	ND
	3-03	3.6	ND	ND	1.5	ND	ND	ND	ND
	8-03	4.3	ND	ND	1.5	ND	ND	ND	ND
MW 315	10-03	2.8	ND	ND	0.82	ND	ND	ND	ND
	3-04	2.6	ND	ND	0.80	ND	ND	ND	ND
	4-04	0.95	ND	ND	0.57	ND	0.64	ND	ND
	8-04	2.7	ND	ND	1.1j	ND	0.88	ND	ND
	10-04	4.3	ND	ND	1.9j	ND	1.4	ND	ND
	01/05	1.5	ND	ND	0.95j	ND	1.6	ND	ND
	6/05	3.8	ND	ND	1.1	ND	ND	ND	ND
	1/06	9.7	ND	ND	3.0	ND	ND	ND	ND
	4/06	11.0	0.54	ND	3.5	ND	1.0	0.81	ND
	6-02	ND	ND	ND	ND	ND	ND	ND	ND
	8-02	ND	ND	ND	ND	ND	ND	ND	ND
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-03	ND	ND	ND	ND	ND	ND	ND	ND
MW 405	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	ND	ND	ND	ND	ND	ND	ND	ND
	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	NDJ	ND

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action						Chloride	
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	2.5	ND	ND	1.4	ND	ND	ND	ND
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	1.0	ND	ND	ND	ND	ND	ND	ND
	3-03	1.2	ND	ND	0.67	ND	ND	ND	ND
	8-03	1.6	ND	ND	ND	ND	ND	ND	ND
MW 406	10-03	1.8	ND	ND	0.81	ND	ND	ND	ND
(EAST)	3-04	1.9	ND	0.76	2.1	0.74	4.1	ND	1.2
	4-04	1.8	ND	ND	1.6	0.53	2.7	ND	0.76
	8-04	2.7	ND	1.2	2.4j	1.2	5.5	ND	1.5
	10-04	2.0	ND	0.87	2.0j	1.0	4.3	ND	1.3
	01/05	1.9	ND	ND	1.9	0.99	5.0	ND	1.6
	6/05	2.8	ND	ND	0.96	ND	ND	ND	ND
	1/06	8.0	ND	ND	3.1	ND	ND	1.0	ND
	4/06	8.5	ND	ND	3.4	ND	0.97	0.79	ND
	6-02	17.0	ND	ND	9.5	1.8	2.1	ND	1.4
	8-02	20.0	ND(0.7)	1.8	11.0	4.4	3.9	ND(0.7)	2.8
	10-02	43.0	ND	7.6	29.0	11.0	8.3	3.3	5.1
	1-03	37.0	0.8	4.0	16.0	5.0	8.0	5.0	8.0j
	3-03	38.0	0.87	4.6	23.0	5.7	9.9	3.7j	7.8
MW 407	8-03	33.0j	ND	1.8	11.0	ND	3.8	2.1j	4.1
(CENTER)	10-03	22.0	ND	1.1	6.6	1.5	3.0	1.6j	4.6
	3-04	37.0	1.3	1.0	15.0j	ND	4.2	2.2	2.9
	4-04	23.0	0.74	1.2	12.0	ND	2.6	2.1	1.6
	8-04	34.0	1.4	2.7	17.0j	1.7	4.9	2.7	3.7
	10-04	26j	NDj	2.7j	13.0j	1.1j	5.3j	5.7j	5.3j
	01/05	6.4	ND	ND	3.3	ND	0.52	0.61	ND
	6/05	24.0	0.74	1.9	11.0	2.5	4.2	1.5	5.0
	1/06	18.0	ND	ND	5.1	ND	1.2	1.6	2.2
	4/06	21.0	0.89	0.86	8.2	ND	1.9	2.1	2.0

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action						Chloride	
		Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	MCL=2	MCL=5
	8-02	ND	ND	ND	0.62	ND	1.0	ND	8.6
	10-02	ND	ND	ND	ND	ND	ND	ND	6.2
	1-03	ND	ND	ND	1.0	ND	4.0	ND	50.0j
	3-03	ND	ND	ND	1.3	ND	5.3	ND	54.0
	8-03	ND	ND	ND	ND	ND	3.2	ND	54.0
MW 408	10-03	ND	ND	ND	0.73	ND	2.9	ND	43.0
(WEST)	3-04	ND	ND	ND	0.89	ND	4.2	ND	65.0
	4-04	ND	ND	ND	0.54	ND	3.1	ND	52.0
	8-04	ND	ND	ND	0.71	NDj	3.4	ND	78.0
	10-04	NDj	NDj	NDj	0.56j	NDj	4.8j	NDj	60
	01/05	ND	ND	ND	ND	ND	2.8	ND	39
	6/05	ND	ND	ND	0.94	ND	3.1	ND	60.0
	1/06	ND	ND	ND	ND	ND	2.9	ND	43
	4/06	ND	ND	ND	0.87	ND	3.9	ND	54.0
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-03	ND	ND	ND	ND	ND	ND	ND	ND
	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
MW 409	3-04	ND	ND	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	ND	ND	ND	ND	ND	ND	ND	ND
	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND

Well	Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
		Action Level= 810	MCL=70	MCL=70	MCL=70	MCL=200	MCL=5	Chloride MCL=2	MCL=5
	10-02	ND	ND	ND	ND	ND	ND	ND	ND
	1-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-03	ND	ND	ND	ND	ND	ND	ND	ND
MW 410	8-03	ND	ND	ND	ND	ND	ND	ND	ND
	10-03	ND	ND	ND	ND	ND	ND	ND	ND
	3-04	ND	ND	ND	ND	ND	ND	ND	ND
	4-04	ND	ND	ND	ND	ND	ND	ND	ND
	8-04	ND	ND	ND	ND	ND	ND	ND	ND
	10-04	ND	ND	ND	ND	ND	ND	ND	ND
	01/05	ND	ND	ND	ND	ND	ND	ND	ND
	6/05	ND	ND	ND	ND	ND	ND	ND	ND
	1/06	ND	ND	ND	ND	ND	ND	ND	ND
	4/06	ND	ND	ND	ND	ND	ND	ND	ND
MW 411	10-02	2.1	ND	ND	ND	ND	ND	ND	1.6
	1-03	3.0	ND	ND	0.90	ND	ND	ND	2.0j
	3-03	2.7	ND	ND	0.89	ND	ND	ND	1.2
	8-03	2.2	ND	ND	ND	ND	ND	ND	ND
	10-03	1.9	ND	ND	ND	ND	ND	ND	0.68
	3-04	2.3	ND	ND	0.62j	ND	ND	ND	0.73
	4-04	2.0	ND	ND	ND	ND	ND	ND	ND
	8-04	2.2	ND	ND	ND	ND	ND	ND	ND
	10-04	2.1	ND	ND	0.75j	ND	ND	ND	0.94
	01/05	1.3	ND	ND	ND	ND	ND	ND	ND
	6/05	2.0	ND	ND	NDJ	ND	ND	ND	ND
	1/06	2.3	ND	ND	ND	ND	ND	ND	1.3
	4/06	1.7	ND	ND	ND	ND	ND	ND	0.95

Date	1,1 DCA	1,2 DCA	1,1DCE	Cis 1,2 TCA	1,1,1 TCA	TCE	Vinyl	PCE
								MCL=5
6-02	NS	NS	NS	NS	NS	NS	NS	NS
8-02	12.0	ND	2.1	11.0	ND	2.1	0.54	ND
10-02	12.0	ND	1.6	10.0	ND	2.0	ND	ND
1-03	13.0	ND	2.0	10.0	ND	2.0	ND	ND
3-03	18.0	0.59	2.9	15.0	ND	3.2	0.99	ND
8-03	13.0	ND	1.5	8.0	ND	1.2	ND	ND
10-03	1.0	ND	ND	0.5	ND	ND	ND	ND
3-04	21.0	ND	3.4	15.0	ND	3.1	2.3	ND
4-04	13.0	ND	1.3	6.8	ND	1.3	1.1j	ND
8-04	13.0	ND	1.5	6.4	ND	1.3	1.1	ND
10-04	16.0	ND	1.6	8.6	ND	1.5	2.0	0.62
01/05	22.0	ND	2.4	9.0	ND	2.4	1.9	ND
1/06	14.0	ND	1.4	5.9	ND	1.6	1.0	ND
4/06	21.0	ND	1.9	8.7	ND	2.2	1.4	0.59
	6-02 8-02 10-02 1-03 3-03 8-03 10-03 3-04 4-04 8-04 10-04 01/05 1/06	Action Level= 810 6-02 NS 8-02 12.0 10-02 12.0 1-03 13.0 3-03 18.0 8-03 13.0 10-03 1.0 3-04 21.0 4-04 13.0 8-04 13.0 10-04 16.0 01/05 22.0 1/06 14.0	Action Level= 810 MCL=70 6-02 NS NS 8-02 12.0 ND 10-02 12.0 ND 1-03 13.0 ND 3-03 18.0 0.59 8-03 13.0 ND 10-03 1.0 ND 3-04 21.0 ND 4-04 13.0 ND 8-04 13.0 ND 10-04 16.0 ND 01/05 22.0 ND 1/06 14.0 ND	Action Level= 810 MCL=70 MCL=70 6-02 NS NS NS 8-02 12.0 ND 2.1 10-02 12.0 ND 1.6 1-03 13.0 ND 2.0 3-03 18.0 0.59 2.9 8-03 13.0 ND 1.5 10-03 1.0 ND ND 3-04 21.0 ND 3.4 4-04 13.0 ND 1.3 8-04 13.0 ND 1.5 10-04 16.0 ND 1.6 01/05 22.0 ND 2.4 1/06 14.0 ND 1.4	Action Level= 810 MCL=70 MCL=70 MCL=70 6-02 NS NS NS NS 8-02 12.0 ND 2.1 11.0 10-02 12.0 ND 1.6 10.0 1-03 13.0 ND 2.0 10.0 3-03 18.0 0.59 2.9 15.0 8-03 13.0 ND 1.5 8.0 10-03 1.0 ND ND 0.5 3-04 21.0 ND 3.4 15.0 4-04 13.0 ND 1.3 6.8 8-04 13.0 ND 1.5 6.4 10-04 16.0 ND 1.6 8.6 01/05 22.0 ND 2.4 9.0 1/06 14.0 ND 1.4 5.9	Action Level= 810 MCL=70 MCL=70 MCL=70 MCL=200 6-02 NS NS NS NS 8-02 12.0 ND 2.1 11.0 ND 10-02 12.0 ND 1.6 10.0 ND 1-03 13.0 ND 2.0 10.0 ND 3-03 18.0 0.59 2.9 15.0 ND 8-03 13.0 ND 1.5 8.0 ND 10-03 1.0 ND ND 0.5 ND 3-04 21.0 ND 3.4 15.0 ND 4-04 13.0 ND 1.3 6.8 ND 8-04 13.0 ND 1.5 6.4 ND 10-04 16.0 ND 1.6 8.6 ND 01/05 22.0 ND 2.4 9.0 ND 1/06 14.0 ND 1.4 5.9 ND	Action Level= 810 MCL=70 MCL=70 MCL=70 MCL=200 MCL=5 6-02 NS NS NS NS NS NS 8-02 12.0 ND 2.1 11.0 ND 2.1 10-02 12.0 ND 1.6 10.0 ND 2.0 1-03 13.0 ND 2.0 10.0 ND 2.0 3-03 18.0 0.59 2.9 15.0 ND 3.2 8-03 13.0 ND 1.5 8.0 ND 1.2 10-03 1.0 ND ND 0.5 ND ND 3-04 21.0 ND 3.4 15.0 ND 3.1 4-04 13.0 ND 1.3 6.8 ND 1.3 8-04 13.0 ND 1.5 6.4 ND 1.3 10-04 16.0 ND 1.6 8.6 ND 1.5 01/05 <t< td=""><td>Action Level= 810 MCL=70 MCL=70 MCL=70 MCL=200 MCL=5 Chloride MCL=2 6-02 NS NS NS NS NS NS NS NS 8-02 12.0 ND 2.1 11.0 ND 2.1 0.54 10-02 12.0 ND 1.6 10.0 ND 2.0 ND 1-03 13.0 ND 2.0 10.0 ND 2.0 ND 3-03 18.0 0.59 2.9 15.0 ND 3.2 0.99 8-03 13.0 ND 1.5 8.0 ND 1.2 ND 10-03 1.0 ND ND 0.5 ND ND ND 3-04 21.0 ND 3.4 15.0 ND 3.1 2.3 4-04 13.0 ND 1.3 6.8 ND 1.3 1.1j 8-04 13.0 ND 1.5 6.4 ND</td></t<>	Action Level= 810 MCL=70 MCL=70 MCL=70 MCL=200 MCL=5 Chloride MCL=2 6-02 NS NS NS NS NS NS NS NS 8-02 12.0 ND 2.1 11.0 ND 2.1 0.54 10-02 12.0 ND 1.6 10.0 ND 2.0 ND 1-03 13.0 ND 2.0 10.0 ND 2.0 ND 3-03 18.0 0.59 2.9 15.0 ND 3.2 0.99 8-03 13.0 ND 1.5 8.0 ND 1.2 ND 10-03 1.0 ND ND 0.5 ND ND ND 3-04 21.0 ND 3.4 15.0 ND 3.1 2.3 4-04 13.0 ND 1.3 6.8 ND 1.3 1.1j 8-04 13.0 ND 1.5 6.4 ND